

1: Identification of the Substance and Supplier

Product Name BASH
Recommended Use Herbicide

Company Details Orion AgriScience Ltd

Unit 1, 15 Sir Gil Simpson Drive, Harewood, Christchurch, 8053

PO Box 39 071, Harewood, Christchurch, 8545

 Web Address
 www.orionagriscience.co.nz

 Email Address
 orders@orionagriscience.co.nz

Telephone Number (03) 928 2386 (office hours), 0800 674 6627 (free phone)

 Emergency Telephone
 0800 CHEMCALL (0800 243 622) (24 hours)

 National Poison Centre
 0800 POISON (0800 764 766) (24 hours)

Date of Issue/Revision July 2015

2: Hazards Identification

Hazard Pictograms







Priority Identifiers: Harmful, Ecotoxic, Keep Out of Reach of Children

HSNO Classes: Secondary Identifiers:

6.1E May be harmful if swallowed, inhaled or absorbed through the skin

6.3B May cause mild skin irritation6.4A May cause eye irritation

6.8B May cause reproductive/development damage from repeated ingestion6.9A May cause kidney damage from repeated ingestion at high doses

9.1C Harmful to aquatic organisms
9.2B Very toxic to some plant species
9.3C Harmful to terrestrial vertebrates

3: Composition/Information on Ingredients

Ingredient CAS No Content (% w/v)

Glufosinate-ammonium (active ingredient) 77182-82-2 20

Other ingredients, surfactant, water, etc Proprietary To Volume

4: First Aid Measures

Skin Contact In case of contact, immediately wash affected area with soap and water. Wash contaminated clothing before reuse.

Seek medical advice if irritation persists.

Eye Contact Hold eyes open and rinse with water for at least 15 minutes. Remove contact lenses if easy to do so. Seek medical

advice immediately.

Ingestion Do not induce vomiting. Seek medical advice immediately.

Inhalation Immediately move to fresh air and rest. Maintain half upright position if breathing is difficult. Seek medical advice

immediately.

Workplace Facilities Hand wash facility. Eye wash facility.

Advice to Doctor No specific requirements. Treat symptomatically.

National Poison Centre 0800 POISON (0800 764 766) (24 hours)

5: Fire-Fighting Measures

Fire/Explosion Hazard Non-flammable.

HAZCHEM Code 3Z ERP Guide No 47

Extinguishing Media Water spray, foam, dry chemical or C02.

Page: 1 of 4



Fire Fighting Instructions

During a fire, toxic fumes may be omitted. Wear self-contained breathing apparatus. Contain runoff.

6: Accidental Release Measures

Caution: Floors may be slippery. When dealing with spills wear personal protective clothing and equipment as described in section 8. Prevent further leakage. Keep bystanders away. Absorb spillage with inert material such as spill kit, sand or cat litter. Collect and place in a sealable container for disposal. Wash down affected area with water and detergent. Absorb and collect washings for disposal. Dispose of safely to a suitable landfill.

7: Storage, Handling and Use

Storage

Handling and Use

Keep out of reach of children. Store in original container, tightly closed, in a secure area away from foodstuffs. Keep out of reach of children. Avoid contact with eyes and skin. Avoid inhalation of spray mist. When mixing or applying, wear protective clothing as described in section 8. Do not eat, drink or smoke while using. Wash hands and face after use. Wash protective clothing after use.

Approved Handler

Required if applied in a wide dispersive manner, or by a commercial contractor.

Tracking

Not required.

Record Keeping

Record of use must be kept if 0.2 litres or more is used in an area within 24 hours, and is likely to enter air or water and leave that place.

Until spray has dried

Site Requirements under the HSNO Act 1996 and HSNO Regulations:

- A location test certificate is not required
- A hazardous atmosphere zone is not required
- Fire extinguishers are not required
- Signage is required for 1000 litres or more
- Emergency information is required for 0.1 litres or more
- An emergency plan is required for more than 1000 litres
 Secondary containment is required for more than 1000 litres
- Separation/Segregation from incompatible substances is not applicable.

Additional Requirements

All aspects of storage, handling, use, disposal and record keeping must be in accordance with NZS 8409:2004 'Management of Agrichemicals', and relevant local and regional council plans.

8: Exposure Control / Personal Protection

Tolerable Exposure Limit

None established.

Workplace Exposure Standards Product - None es

Product – None established (Use lowest practicable level). Active ingredient – None established (Use lowest practicable level).

Excipients: - None established (Use lowest practicable level).

Engineering Controls Limited given nature of use.

Personal Protection:

Eye Safety glasses/goggles when mixing or applying.

Skin Cotton overalls snugly fitting at the neck, wrist and ankle, boots and waterproof gloves.

Respiratory Not required where spray mist is not inhaled. Otherwise, respirator (organic vapour and particulate matter) is required.

9: Physical and Chemical Properties

Appearance Blue Liquid Odour Non specific **Boiling Point** > 100°C Flash Point Will not flash Auto ignition Temperature Not applicable **Explosive Limits** Not applicable 1.08 g/ml (approx) Density Vapour Pressure Not volatile Vapour Density Not volatile Solubility in Water Soluble 4 - 10Oxidising Properties Not an oxidizer Corrosive Properties Not a corrosive

10: Stability and Reactivity

Stability Stable under normal conditions.

Incompatibility Avoid mixing with strong acids, alkalis, and oxidizing agents such as chlorine compounds, ammonium nitrate, etc.

Decomposition Decomposition will not occur under normal conditions.

Dangerous Reactions Products arising from combustion or thermal decomposition may be toxic, corrosive or flammable.

11: Toxicological Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet.

Swallowed Nausea, vomiting, diarrhoea



Eye Irritation

Skin May cause slight irritation

Inhalation Unknown

Acute Toxicity (Active Ingredient)
• Acute Oral LD50 (Mice) 420 mg/kg

Acute Dermal LD50 (Rabbit) 2000 mg/kg

• Inhalation LC50 (4 hr) (Rat) 1.26 mg/l

Sensitisation Effects

Mutagenic Effects

None

Carcinogenic Effects

None

Reproductive Effects Extended animal feeding studies on glufosinate-ammonium have found changes such as decrease in litter size

Teratogenic (Birth) Effects None

Systemic Effects Extended animal feeding studies on glufosinate-ammonium have noted an increase in kidney weight at high doses

12: Ecotoxicity Information

This section describes effects which could occur if this material is not handled in accordance with this data sheet.

The following information is presented in respect of the active ingredient:

Ecotoxic Effects • Acute Oral LD50 (Japanese quail) >5000 mg/kg

• LC50 (96 hr) (Rainbow trout) 710 mg/l

LC50 (48 hr) (Daphnia) 560 mg/l

• LD50 (Algae) 37 mg/l

• Very toxic to some plant species (selective herbicide)

Non toxic to bees

Environmental Fate Biodegradable. DT50 (soil) 7 days

Partition Co-Efficient (Kow) LogP = -4.01 (low)
Environmental Exposure Limit: None established.

13: Disposal Considerations

Product Dispose of product by using it in accordance with the label. Waste product should be disposed of to a suitable

landfill. For disposal of large quantities contact Orion AgriScience Ltd.

Container Triple rinse empty containers and add the rinseate to the spray tank. Dispose of to a suitable landfill or agricultural

recycling scheme. Do not burn. Do not use packaging for any other purpose.

14: Transport Information

Dangerous Goods

Dangerous Goods:Not dangerous for transportPassenger Service Vehicle:Maximum quantity 1 litre

15: Regulatory

HSNO Approval No HSR007813
ACVM Registration No P7753

16: Other Information

Glossary

Approved Handler For some hazardous substances, persons storing, handling and using must be trained and certified

DT50 Time (days) for 50% reduction in concentration

EC50 Concentration required to produce an effect in 50% of organisms

Environmental Exposure Limit Maximum concentration limit of a substance in an environmental medium, e.g., water, soil.

ERP Guide Dangerous Goods - Initial Emergency Response Guide SNZ HB 76:2008

HAZCHEM CodeEmergency action code for emergency servicesHSNOHazardous Substances and New Organisms

Page: 3 of 4



LC50 Concentration that will kill 50% of organisms

LD50 Dose that will kill 50% or organisms

MTQ Maximum Transport Quantity. The maximum amount of dangerous goods that can be transported by road by the

user

Partition Co-Efficient Kow Ratio of concentration between octanol and water. Values are given as the log value. A high value indicates a

substance may bioaccumulate

Record Keeping Includes a spray diary

REI Restricted Entry Interval – The length of time after application before entry into the treated area is permitted

without the use of protective equipment. For indoor environments, this time period commences once ventilation

after treatment begins.

Safety Note A brief document providing hazardous substance information for transport, storage and emergency management

purposes

STEL Short term exposure level

Tolerable Exposure Limit Maximum concentration limit of a substance above which persons must not be exposed

Tracking For some hazardous substances, a record must be kept of the transport, storage, sale and use of the product

TWA Time weighted average

Workplace Exposure Standard An occupational health standard limiting concentrations of specified substances to which persons are exposed

A method of application involving equipment such as boom sprayers, mist blowers, vine sprayers, row sprayers, etc., as well as aerial application. Hand gunning within 30m of a property boundary is also classed as wide

dispersive use. Knapsack sprayers are not classed as wide dispersive use

Please Note

Wide Dispersive Use

Users must ensure that the most up to date version of this safety data sheet is used.

This Safety Data Sheet summarises information on this product, and how to safely handle and use the product. Each user should familiarise themselves with the product label, Safety Note and Safety Data Sheet, and consider the information in the context of how the product will be handled and used, including in conjunction with other products. Orion AgriScience Ltd assumes no responsibility for the accuracy, completeness or suitability of this information. The user is responsible for determining the suitability and accuracy of this information for their particular purposes.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company. Always read the product label before use.