

# Stain Out Part A International

## Safety Data Sheet

According to Regulation (EC) No. 453/2010

Revision date: 26/12/2014

Date of issue: 26/12/2014

Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product Name : Stain Out Part A International  
Product code : C200-A

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture : Carpet stain remover

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Harris Research, Inc.  
1530 North 1000 West  
Logan, UT 84321 USA  
(435)755-0099

[www.chemdry.com](http://www.chemdry.com)

#### Chem-Dry France

Parc d'activites "Le Prieure"  
RuePaulin Viry  
37530 Poce-sur-Cisse  
+33 761 8906 79

[a.baba@chemdry-france.fr](mailto:a.baba@chemdry-france.fr)

#### Chem-Dry Luxembourg S.A

Rue De La Continentale  
Zac Zaemer  
Bascharage, L-4917

652 26 35 00 20

[info@chemdry.lu](mailto:info@chemdry.lu)

#### Portugal/Angola

Ambiclean-Limpeza De Alcatifas, LDA  
Rua Samaora Machel N 3-D  
Urbanizacoa Alto Da Eira  
Sta Iria Da Azoia, 2695-395

351 21 953 00 33

[info@chemdryportugal.com](mailto:info@chemdryportugal.com)

#### UK/England/Scotland/Wales

Chem-Dry® Franchising Ltd.

Belprin Road

Beverly, East Yorkshire HU17 0LP

44 01482 678 645

[e.info@chemdry.co.uk](mailto:e.info@chemdry.co.uk)

### 1.4. Emergency telephone number

Emergency number : 1-800-424-9300 CHEMTREC (in US); 1-703-527-3887 CHEMTREC (International and Maritime)

#### Denmark, Norway, Sweden

Chem-Dry Nordic Aps  
Munkegaardsvej 21  
Kivstgaard, 3490  
45-48-14-44-18  
[th@chemdry.dk](mailto:th@chemdry.dk)

#### Chem-Dry of Ireland LTD

Unit 30 Tolka Valley Business Park  
Ballyboggan Road, Glasnevin  
Dublin, DN011  
353 1 830 3940  
[john@chemdry.ie](mailto:john@chemdry.ie)

#### Netherlands, Belgium, Germany

Chem-Dry Netherlands BV  
Vijfhuizenberg 127  
Roosendaal, 4708 AJ  
31(0)165-570 610  
[info@chemdry.nl](mailto:info@chemdry.nl)

#### Switzerland/Lichtenstein

Chem-Dry Switzerland  
Kellerhofstrasse 11  
Elgg, 8353  
(41)523643031  
[liz.prohaska@procamed.ch](mailto:liz.prohaska@procamed.ch)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319

Full text of H-phrases: see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Xi; R36

Full text of R-phrases: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

# Stain Out Part A International

## Safety Data Sheet

According to Regulation (EC) No. 453/2010

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Hazard statements (CLP) :

H319 - Causes serious eye irritation

Precautionary statements (CLP) :

P264 - Wash hands, forearms and exposed areas thoroughly after handling.  
P280 - Wear eye protection, face protection, protective clothing, protective gloves.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 - If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

Other hazards not contributing to the classification

: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Not applicable

### 3.2. Mixture

| Name              | Product identifier  | % | Classification according to Directive 67/548/EEC   |
|-------------------|---|---|--|
| Hydrogen peroxide | (CAS No) 7722-84-1<br>(EC no) 231-765-0<br>(EC index no) 008-003-00-9 | 7 | Xn; R20/22<br>C; R35<br>R5<br>O; R8  |
| Name              | Product identifier  |   | Specific concentration limits  |
| Hydrogen peroxide | (CAS No) 7722-84-1<br>(EC no) 231-765-0<br>(EC index no) 008-003-00-9 |   | (5 =< C < 8) Xi;R36<br>(8 =< C < 50) Xi;R41<br>(C >= 8) Xn;R22<br>(35 =< C < 50) Xi;R37/38<br>(C >= 50) O;R8<br>(50 =< C < 70) C;R34<br>(C >= 50) Xn;R20<br>(C >= 70) C;R35<br>(C >= 70) R5  |
| Name              | Product identifier  | % | Classification according to Regulation (EC) No. 1272/2008 [CLP]  |
| Hydrogen peroxide | (CAS No) 7722-84-1<br>(EC no) 231-765-0<br>(EC index no) 008-003-00-9 | 7 | Ox. Liq. 1, H271<br>Acute Tox. 4 (Oral), H302<br>Acute Tox. 4 (Inhalation:vapour), H332<br>Skin Corr. 1A, H314<br>Eye Dam. 1, H318   |
| Name              | Product identifier  |   | Specific concentration limits  |
| Hydrogen peroxide | (CAS No) 7722-84-1<br>(EC no) 231-765-0<br>(EC index no) 008-003-00-9 |   | (5 =< C < 8) Eye Irrit. 2, H319<br>(8 =< C < 50) Eye Dam. 1, H318<br>(C >= 35) STOT SE 3, H335<br>(35 =< C < 50) Skin Irrit. 2, H315<br>(50 =< C < 70) Ox. Liq. 2, H272<br>(50 =< C < 70) Skin Corr. 1B, H314<br>(C >= 70) Ox. Liq. 1, H271<br>(C >= 70) Skin Corr. 1A, H314 |

Full text of R- and H-phrases: see section 16

# Stain Out Part A International

## Safety Data Sheet

According to Regulation (EC) No. 453/2010

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).
- First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Do not rub. Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Seek medical attention. Wash contaminated clothing before reuse.
- First-aid measures after eye contact : Do not rub. Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.
- First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Seek medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Causes serious eye irritation.
- Symptoms/injuries after inhalation : May cause respiratory irritation.
- Symptoms/injuries after skin contact : May cause skin irritation.
- Symptoms/injuries after eye contact : Redness, pain, swelling, itching, burning, tearing, and blurred vision.
- Symptoms/injuries after ingestion : Ingestion is likely to be harmful or have adverse effects.

#### 4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Not considered flammable but may burn at high temperatures.
- Explosion hazard : Product is not explosive.
- Reactivity : Hazardous reactions will not occur under normal conditions.

#### 5.3. Advice for firefighters

- Precautionary measures fire : Exercise caution when fighting any chemical fire.
- Firefighting instructions : Use water spray or fog for cooling exposed containers.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapour, mist, or spray.

##### 6.1.1. For non-emergency personnel

- Protective equipment : Use appropriate personal protection equipment (PPE).
- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Stop leak if safe to do so. Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up : Clear up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

#### 6.4. Reference to other sections

See heading 8, Exposure Controls and Personal Protection. For further information refer to section 13.

# Stain Out Part A International

Safety Data Sheet

According to Regulation (EC) No. 453/2010

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ensure adequate ventilation. Comply with applicable regulations.

Storage conditions : Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible products : Strong acids. Strong bases. Strong oxidizers.

### 7.3. Specific end use(s)

Carpet stain remover.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| Hydrogen peroxide (7722-84-1) |  |                        |
|-------------------------------|--|------------------------|
| Austria                       | MAK (mg/m <sup>3</sup> )   | 1,4 mg/m <sup>3</sup>  |
| Austria                       | MAK (ppm)  | 1 ppm                  |
| Austria                       | MAK Short time value (mg/m <sup>3</sup> )                                | 2,8 mg/m <sup>3</sup>  |
| Austria                       | MAK Short time value (ppm)   | 2 ppm                  |
| Belgium                       | Limit value (mg/m <sup>3</sup> )   | 1,4 mg/m <sup>3</sup>  |
| Belgium                       | Limit value (ppm)  | 1 ppm                  |
| Bulgaria                      | OEL TWA (mg/m <sup>3</sup> )   | 1,5 mg/m <sup>3</sup>  |
| Croatia                       | GVI (granična vrijednost izloženosti) (mg/m <sup>3</sup> )               | 1,4 mg/m <sup>3</sup>  |
| Croatia                       | GVI (granična vrijednost izloženosti) (ppm)                              | 1 ppm                  |
| Croatia                       | KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m <sup>3</sup> ) | 2,8 mg/m <sup>3</sup>  |
| Croatia                       | KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)                | 2 ppm                  |
| France                        | VME (mg/m <sup>3</sup> )   | 1,5 mg/m <sup>3</sup>  |
| France                        | VME (ppm)  | 1 ppm                  |
| Greece                        | OEL TWA (mg/m <sup>3</sup> )   | 1,4 mg/m <sup>3</sup>  |
| Greece                        | OEL TWA (ppm)  | 1 ppm                  |
| Greece                        | OEL STEL (mg/m <sup>3</sup> )  | 3 mg/m <sup>3</sup>    |
| USA ACGIH                     | ACGIH TWA (ppm)  | 1 ppm                  |
| Spain                         | VLA-ED (mg/m <sup>3</sup> )  | 1,4 mg/m <sup>3</sup>  |
| Spain                         | VLA-ED (ppm)   | 1 ppm                  |
| Switzerland                   | VLE (mg/m <sup>3</sup> )   | 0,71 mg/m <sup>3</sup> |
| Switzerland                   | VLE (ppm)  | 0,5 ppm                |
| Switzerland                   | VME (mg/m <sup>3</sup> )   | 0,71 mg/m <sup>3</sup> |
| Switzerland                   | VME (ppm)  | 0,5 ppm                |
| United Kingdom                | WEL TWA (mg/m <sup>3</sup> )   | 1,4 mg/m <sup>3</sup>  |
| United Kingdom                | WEL TWA (ppm)  | 1 ppm                  |
| United Kingdom                | WEL STEL (mg/m <sup>3</sup> )  | 2,8 mg/m <sup>3</sup>  |
| United Kingdom                | WEL STEL (ppm)   | 2 ppm                  |
| Czech Republic                | Expoziční limity (PEL) (mg/m <sup>3</sup> )                              | 1 mg/m <sup>3</sup>    |
| Denmark                       | Grænseværdie (langvarig) (mg/m <sup>3</sup> )                            | 1,4 mg/m <sup>3</sup>  |
| Denmark                       | Grænseværdie (langvarig) (ppm)   | 1 ppm                  |

# Stain Out Part A International

## Safety Data Sheet

According to Regulation (EC) No. 453/2010

| Hydrogen peroxide (7722-84-1) |   |   |
|-------------------------------|---|---|
| Estonia                       | OEL TWA (mg/m <sup>3</sup> )                              | 1,4 mg/m <sup>3</sup>   |
| Estonia                       | OEL TWA (ppm)   | 1 ppm   |
| Estonia                       | OEL Ceiling (mg/m <sup>3</sup> )                          | 3 mg/m <sup>3</sup>   |
| Estonia                       | OEL Ceiling (ppm)   | 2 ppm   |
| Finland                       | HTP-arvo (8h) (mg/m <sup>3</sup> )                        | 1,4 mg/m <sup>3</sup> (also solutions)                            |
| Finland                       | HTP-arvo (8h) (ppm)                                       | 1 ppm (also solutions)  |
| Finland                       | HTP-arvo (15 min)   | 4,2 mg/m <sup>3</sup>   |
| Finland                       | HTP-arvo (15 min) (ppm)                                   | 3 ppm   |
| Ireland                       | OEL (8 hours ref) (mg/m <sup>3</sup> )                    | 1,5 mg/m <sup>3</sup>   |
| Ireland                       | OEL (8 hours ref) (ppm)                                   | 1 ppm   |
| Ireland                       | OEL (15 min ref) (mg/m <sup>3</sup> )                     | 3 mg/m <sup>3</sup>   |
| Ireland                       | OEL (15 min ref) (ppm)                                    | 2 ppm   |
| Lithuania                     | IPRV (mg/m <sup>3</sup> )                                 | 1,4 mg/m <sup>3</sup>   |
| Lithuania                     | IPRV (ppm)  | 1 ppm   |
| Lithuania                     | NRV (mg/m <sup>3</sup> )                                  | 3 mg/m <sup>3</sup>   |
| Lithuania                     | NRV (ppm)   | 2 ppm   |
| Norway                        | Gjennomsnittsverdier (AN) (mg/m <sup>3</sup> )            | 1,4 mg/m <sup>3</sup>   |
| Norway                        | Gjennomsnittsverdier (AN) (ppm)                           | 1 ppm   |
| Norway                        | Gjennomsnittsverdier (Korttidsverdi) (mg/m <sup>3</sup> ) | 2,8 mg/m <sup>3</sup>   |
| Norway                        | Gjennomsnittsverdier (Korttidsverdi) (ppm)                | 3 ppm   |
| Poland                        | NDS (mg/m <sup>3</sup> )                                  | 1,5 mg/m <sup>3</sup>   |
| Poland                        | NDSCh (mg/m <sup>3</sup> )                                | 4 mg/m <sup>3</sup>   |
| Slovakia                      | NPHV (priemerná) (mg/m <sup>3</sup> )                     | 1,4 mg/m <sup>3</sup>   |
| Slovakia                      | NPHV (priemerná) (ppm)                                    | 1 ppm   |
| Slovakia                      | NPHV (Hraničná) (mg/m <sup>3</sup> )                      | 2,8 mg/m <sup>3</sup>   |
| Slovenia                      | OEL TWA (mg/m <sup>3</sup> )                              | 1,4 mg/m <sup>3</sup>   |
| Slovenia                      | OEL TWA (ppm)   | 1 ppm   |
| Slovenia                      | OEL STEL (mg/m <sup>3</sup> )                             | 1,4 mg/m <sup>3</sup>   |
| Slovenia                      | OEL STEL (ppm)  | 1 ppm   |
| Sweden                        | nivågränsvärde (NVG) (mg/m <sup>3</sup> )                 | 1,4 mg/m <sup>3</sup>   |
| Sweden                        | nivågränsvärde (NVG) (ppm)                                | 1 ppm   |
| Sweden                        | takgränsvärde (TGV) (mg/m <sup>3</sup> )                  | 3 mg/m <sup>3</sup>   |
| Sweden                        | takgränsvärde (TGV) (ppm)                                 | 2 ppm   |
| Portugal                      | OEL TWA (ppm)   | 1 ppm   |
| Portugal                      | OEL chemical category (PT)                                | A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans |

### 8.2. Exposure controls

Appropriate engineering controls

: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Personal protective equipment

: Protective goggles. Gloves. Protective clothing.



Materials for protective clothing

: Chemically resistant materials and fabrics.

Hand protection

: Wear chemically resistant protective gloves.

# Stain Out Part A International

## Safety Data Sheet

According to Regulation (EC) No. 453/2010

|                                 |   |
|---------------------------------|---|
| Eye protection                  | : Chemical safety goggles.  |
| Skin and body protection        | : Wear appropriate personal protective equipment.   |
| Respiratory protection          | : Use an approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits. |
| Environmental exposure controls | : Do not allow the product to be released into the environment.   |
| Consumer exposure controls      | : Do not eat, drink or smoke during use.  |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|  |                     |
|--|---------------------|
| Physical state                         | : Liquid            |
| Appearance                             | : Clear, colorless  |
| Colour                                 | : No data available |
| Odour                                  | : No data available |
| Odour threshold                        | : No data available |
| pH                                     | : 4,5 - 5,5         |
| Evaporation rate                       | : No data available |
| Melting point                          | : No data available |
| Freezing point                         | : No data available |
| Boiling point                          | : No data available |
| Flash point                            | : No data available |
| Auto-ignition temperature              | : No data available |
| Decomposition temperature              | : No data available |
| Flammability (solid, gas)              | : No data available |
| Vapour pressure                        | : No data available |
| Relative vapour density at 20 °C       | : No data available |
| Solubility                             | : No data available |
| Partition coefficient: n-octanol/water | : No data available |
| Viscosity                              | : No data available |
| Explosive properties                   | : No data available |
| Oxidising properties                   | : No data available |
| Explosive limits                       | : No data available |

### 9.2. Other information

|             |        |
|-------------|--------|
| VOC content | : < 1% |
|-------------|--------|

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Incompatible materials.

### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

### 10.6. Hazardous decomposition products

None known.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                |                  |
|----------------|------------------|
| Acute toxicity | : Not classified |
|----------------|------------------|

| Hydrogen peroxide (7722-84-1) |  |
|-------------------------------|--|
| LD50 oral rat                 | 1193 mg/kg (Species: Sprague-Dawley; Exposure time: 4 h) |
| LD50 dermal rat               | 4060 mg/kg   |
| LD50 dermal rabbit            | > 2000 mg/kg   |

# Stain Out Part A International

## Safety Data Sheet

According to Regulation (EC) No. 453/2010

| Hydrogen peroxide (7722-84-1)     |   |
|-----------------------------------|---|
| LC50 inhalation rat (mg/l)        | 2 g/m <sup>3</sup> (Exposure time: 4 h) |
| Skin corrosion/irritation         | : Not classified                        |
| Serious eye damage/irritation     | : Not classified                        |
| Respiratory or skin sensitisation | : Not classified                        |
| Germ cell mutagenicity            | : Not classified                        |
| Carcinogenicity                   | : Not classified                        |

| Hydrogen peroxide (7722-84-1)                      |  |
|--|--|
| IARC group   | 3  |
| Reproductive toxicity                              | : Not classified   |
| Specific target organ toxicity (single exposure)   | : Not classified   |
| Specific target organ toxicity (repeated exposure) | : Not classified   |
| Aspiration hazard                                  | : Not classified   |
| Symptoms/Injuries After Inhalation                 | : May cause respiratory irritation.                          |
| Symptoms/Injuries After Skin Contact               | : May cause skin irritation.                                 |
| Symptoms/Injuries After Eye Contact                | : May cause eye irritation.                                  |
| Symptoms/Injuries After Ingestion                  | : Ingestion is likely to be harmful or have adverse effects. |

## SECTION 12: Ecological information

### 12.1. Toxicity

| Stain Out Part A International |  |
|--------------------------------|--|
| LC50 fishes 1                  | 1970 mg/l (Exposure Time: 96 hr; Species: Fathead minnow)                  |
| Hydrogen peroxide (7722-84-1)  |  |
| LC50 fishes 1                  | 16,4 mg/l (Exposure time: 96 h - Species: Pimephales promelas)             |
| EC50 Daphnia 1                 | 18 - 32 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])       |
| LC50 fish 2                    | 18 - 56 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) |

### 12.2. Persistence and degradability

| Stain Out Part A International |                  |
|--------------------------------|------------------|
| Persistence and degradability  | Not established. |

### 12.3. Bioaccumulative potential

| Stain Out Part A International |                      |
|--------------------------------|----------------------|
| Bioaccumulative potential      | Not established.     |
| Hydrogen peroxide (7722-84-1)  |                      |
| BCF fish 1                     | (no bioaccumulation) |

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Sewage disposal recommendations : Do not empty into drains; dispose of this material and its container in a safe way.  
Waste disposal recommendations : Dispose of waste material in accordance with all local, regional, national, and international regulations.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR                         | IMDG | IATA | ADN | RID |
|-----------------------------|------|------|-----|-----|
| <b>14.1. UN number</b>      |      |      |     |     |
| Not regulated for transport |      |      |     |     |

# Stain Out Part A International

## Safety Data Sheet

According to Regulation (EC) No. 453/2010

| ADR                                     | IMDG  | IATA                               | ADN                                | RID                                |
|---|---|------------------------------------|------------------------------------|------------------------------------|
| <b>14.2. UN proper shipping name</b>    |   |                                    |                                    |                                    |
| Not applicable                          | Not applicable  | Not applicable                     | Not applicable                     | Not applicable                     |
| <b>14.3. Transport hazard class(es)</b> |   |                                    |                                    |                                    |
| Not applicable                          | Not applicable  | Not applicable                     | Not applicable                     | Not applicable                     |
| Not applicable                          | Not applicable  | Not applicable                     | Not applicable                     | Not applicable                     |
| <b>14.4. Packing group</b>              |   |                                    |                                    |                                    |
| Not applicable                          | Not applicable  | Not applicable                     | Not applicable                     | Not applicable                     |
| <b>14.5. Environmental hazards</b>      |   |                                    |                                    |                                    |
| Dangerous for the environment : No      | Dangerous for the environment : No<br>Marine pollutant : No | Dangerous for the environment : No | Dangerous for the environment : No | Dangerous for the environment : No |

### 14.6. Special precautions for user

No additional information available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

|  |                                |
|--|--------------------------------|
| 3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008   | Stain Out Part A International |
| 3.b. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 | Stain Out Part A International |

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### Hydrogen peroxide (7722-84-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

VOC content : < 1%

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Revision date : 26/12/2014

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Full text of R-, H- and EUH-phrases:

|                                  |   |
|----------------------------------|---|
| Acute Tox. 4 (Inhalation:vapour) | Acute toxicity (inhalation:vapour) Category 4 |
| Acute Tox. 4 (Oral)              | Acute toxicity (oral), Category 4             |
| Ox. Liq. 1                       | Oxidising Liquids, Category 1                 |
| Skin Corr. 1A                    | Skin corrosion/irritation, Category 1A        |



# Stain Out Part A International

## Safety Data Sheet

According to Regulation (EC) No. 453/2010

|           |  |
|-----------|--|
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H271      | May cause fire or explosion; strong oxidiser   |
| H302      | Harmful if swallowed   |
| H314      | Causes severe skin burns and eye damage  |
| H332      | Harmful if inhaled   |
| H335      | May cause respiratory irritation   |
| R20/22    | Harmful by inhalation and if swallowed   |
| R35       | Causes severe burns  |
| R5        | Heating may cause an explosion   |
| R8        | Contact with combustible material may cause fire   |
| C         | Corrosive  |
| O         | Oxidising  |
| Xn        | Harmful  |

Harris Research Inc EU GHS SDS

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*