

Upholstery Wet/Foam Cleaner

Safety Data Sheet

According to Regulation (EC) No. 453/2010

Revision date: 26/12/2014

Date of issue: 26/12/2014

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product Name : Upholstery Wet/Foam Cleaner
Product code : CU050-G, CU050-CS

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Upholstery Cleaner

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Harris Research, Inc.
1530 North 1000 West
Logan, UT 84321 USA
(435)755-0099

www.chemdry.com

Chem-Dry France

Parc d'activites "Le Prieure"
RuePaulin Viry
37530 Poce-sur-Cisse
+33 761 8906 79

a.baba@chemdry-france.fr

Chem-Dry Luxembourg S.A

Rue De La Continentale
Zac Zaemer
Bascharage, L-4917
652 26 35 00 20
info@chemdry.lu

Portugal/Angola

Ambiclean-Limpeza De Alcatifas, LDA
Rua Samaora Machel N 3-D
Urbanizacoa Alto Da Eira
Sta Iria Da Azoia, 2695-395
351 21 953 00 33
info@chemdryportugal.com

UK/England/Scotland/Wales

Chem-Dry® Franchising Ltd.
Belprin Road
Beverly, East Yorkshire HU17 0LP
44 01482 678 645
e.info@chemdry.co.uk

1.4. Emergency telephone number

Emergency number : 1-800-424-9300 CHEMTREC (in US); 1-703-527-3887 CHEMTREC (International and Maritime)

Denmark, Norway, Sweden

Chem-Dry Nordic Aps
Munkegaardsvej 21
Kivstgaard, 3490
45-48-14-44-18
th@chemdry.dk

Chem-Dry of Ireland LTD

Unit 30 Tolka Valley Business Park
Ballyboggan Road, Glasnevin
Dublin, DN011
353 1 830 3940
john@chemdry.ie

Netherlands, Belgium, Germany

Chem-Dry Netherlands BV
Vijfhuizenberg 127
Roosendaal, 4708 AJ
31(0)165-570 610
info@chemdry.nl

Switzerland/Lichtenstein

Chem-Dry Switzerland
Kellerhofstrasse 11
Elgg, 8353
(41)523643031
liz.prohaska@procamed.ch

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

Upholstery Wet/Foam Cleaner

Safety Data Sheet

According to Regulation (EC) No. 453/2010

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

2.3. Other hazards

Other hazards not contributing to the classification : Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Directive 67/548/EEC
Diethylene glycol monobutyl ether	(CAS No) 112-34-5 (EC no) 203-961-6 (EC index no) 603-096-00-8	1 - 5	Xi; R36
Sodium lauryl sulfate	(CAS No) 151-21-3 (EC no) 205-788-1	1 - 5	Xn; R22 Xi; R41 Xi; R37/38
Name	Product identifier	Specific concentration limits	
Sodium lauryl sulfate	(CAS No) 151-21-3 (EC no) 205-788-1	(10% ≤ C < 20%) Xi; R36 (C ≥ 20%) Xi; R41	
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Diethylene glycol monobutyl ether	(CAS No) 112-34-5 (EC no) 203-961-6 (EC index no) 603-096-00-8	1 - 5	Eye Irrit. 2, H319
Sodium lauryl sulfate	(CAS No) 151-21-3 (EC no) 205-788-1	1 - 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412
Name	Product identifier	Specific concentration limits	
Sodium lauryl sulfate	(CAS No) 151-21-3 (EC no) 205-788-1	(10% ≤ C < 20%) Eye Irrit. 2, H319 (C ≥ 20%) Eye Dam. 1, H318	

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).
First-aid measures after inhalation	: Remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Do not rub. Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Seek medical attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Do not rub. Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
First-aid measures after ingestion	: Do not induce vomiting. Rinse mouth. Seek medical attention.

Upholstery Wet/Foam Cleaner

Safety Data Sheet

According to Regulation (EC) No. 453/2010

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.
- Symptoms/injuries after inhalation : May cause respiratory irritation.
- Symptoms/injuries after skin contact : May cause skin irritation.
- Symptoms/injuries after eye contact : May cause eye irritation.
- Symptoms/injuries after ingestion : Ingestion is likely to be harmful or have adverse effects.

4.3. Indication of any immediate medical attention and special treatment needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Not considered flammable but may burn at high temperatures.
- Explosion hazard : Product is not explosive.
- Reactivity : Hazardous reactions will not occur under normal conditions.

5.3. Advice for firefighters

- Precautionary measures fire : Exercise caution when fighting any chemical fire.
- Firefighting instructions : Use water spray or fog for cooling exposed containers.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapour, mist, or spray.

6.1.1. For non-emergency personnel

- Protective equipment : Use appropriate personal protection equipment (PPE).
- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Stop leak if safe to do so. Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up : Clear up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to other sections

See heading 8, Exposure Controls and Personal Protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ensure adequate ventilation. Comply with applicable regulations.
- Storage conditions : Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.
- Incompatible products : Strong acids. Strong bases. Strong oxidizers.

7.3. Specific end use(s)

Upholstery Cleaner.

Upholstery Wet/Foam Cleaner

Safety Data Sheet

According to Regulation (EC) No. 453/2010

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Diethylene glycol monobutyl ether (112-34-5)		
EU	IOELV TWA (mg/m ³)	67,5 mg/m ³
EU	IOELV TWA (ppm)	10 ppm
EU	IOELV STEL (mg/m ³)	101,2 mg/m ³
EU	IOELV STEL (ppm)	15 ppm
Austria	MAK (mg/m ³)	67,5 mg/m ³
Austria	MAK (ppm)	10 ppm
Austria	MAK Short time value (mg/m ³)	101,2 mg/m ³
Austria	MAK Short time value (ppm)	15 ppm
Belgium	Limit value (mg/m ³)	67,5 mg/m ³
Belgium	Limit value (ppm)	10 ppm
Belgium	Short time value (mg/m ³)	101,2 mg/m ³
Belgium	Short time value (ppm)	15 ppm
Bulgaria	OEL TWA (mg/m ³)	67,5 mg/m ³
Bulgaria	OEL TWA (ppm)	10 ppm
Bulgaria	OEL STEL (mg/m ³)	101,2 mg/m ³
Bulgaria	OEL STEL (ppm)	15 ppm
Croatia	GVI (granična vrijednost izloženosti) (mg/m ³)	67,5 mg/m ³
Croatia	GVI (granična vrijednost izloženosti) (ppm)	10 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m ³)	101,2 mg/m ³
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	15 ppm
Cyprus	OEL TWA (mg/m ³)	67,5 mg/m ³
Cyprus	OEL TWA (ppm)	10 ppm
Cyprus	OEL STEL (mg/m ³)	101,2 mg/m ³
Cyprus	OEL STEL (ppm)	15 ppm
France	VLE (mg/m ³)	101,2 mg/m ³ (indicative limit)
France	VLE (ppm)	15 ppm (indicative limit)
France	VME (mg/m ³)	67,5 mg/m ³ (indicative limit)
France	VME (ppm)	10 ppm (indicative limit)
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	67 mg/m ³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	TRGS 900 Occupational exposure limit value (ppm)	10 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Gibraltar	OEL TWA (mg/m ³)	67,5 mg/m ³
Gibraltar	OEL TWA (ppm)	10 ppm
Gibraltar	OEL STEL (mg/m ³)	101,2 mg/m ³
Gibraltar	OEL STEL (ppm)	15 ppm
Greece	OEL TWA (mg/m ³)	67,5 mg/m ³
Greece	OEL TWA (ppm)	10 ppm
Greece	OEL STEL (mg/m ³)	101,2 mg/m ³
Greece	OEL STEL (ppm)	15 ppm

Upholstery Wet/Foam Cleaner

Safety Data Sheet

According to Regulation (EC) No. 453/2010

Diethylene glycol monobutyl ether (112-34-5)		
USA ACGIH	ACGIH TWA (ppm)	10 ppm (inhalable fraction and vapor)
Italy	OEL TWA (mg/m ³)	67,5 mg/m ³
Italy	OEL TWA (ppm)	10 ppm
Italy	OEL STEL (mg/m ³)	101,2 mg/m ³
Italy	OEL STEL (ppm)	15 ppm
Latvia	OEL TWA (mg/m ³)	67,5 mg/m ³
Latvia	OEL TWA (ppm)	10 ppm
Spain	VLA-ED (mg/m ³)	67,5 mg/m ³ (indicative limit value; manufacturing, commercialization, and use restrictions under REACH)
Spain	VLA-ED (ppm)	10 ppm (indicative limit value; manufacturing, commercialization, and use restrictions under REACH)
Spain	VLA-EC (mg/m ³)	101,2 mg/m ³
Spain	VLA-EC (ppm)	15 ppm
Switzerland	VLE (mg/m ³)	101 mg/m ³
Switzerland	VLE (ppm)	15 ppm
Switzerland	VME (mg/m ³)	67 mg/m ³
Switzerland	VME (ppm)	10 ppm
Netherlands	Grenswaarde TGG 8H (mg/m ³)	50 mg/m ³
Netherlands	Grenswaarde TGG 15MIN (mg/m ³)	100 mg/m ³
United Kingdom	WEL TWA (mg/m ³)	67,5 mg/m ³
United Kingdom	WEL TWA (ppm)	10 ppm
United Kingdom	WEL STEL (mg/m ³)	101,2 mg/m ³
United Kingdom	WEL STEL (ppm)	15 ppm
Czech Republic	Expoziční limity (PEL) (mg/m ³)	100 mg/m ³
Denmark	Grænseværdie (langvarig) (mg/m ³)	68 mg/m ³
Denmark	Grænseværdie (langvarig) (ppm)	10 ppm
Estonia	OEL TWA (mg/m ³)	67,5 mg/m ³
Estonia	OEL TWA (ppm)	10 ppm
Finland	HTP-arvo (8h) (mg/m ³)	68 mg/m ³
Finland	HTP-arvo (8h) (ppm)	10 ppm
Hungary	AK-érték	67,5 mg/m ³
Hungary	CK-érték	101,2 mg/m ³
Ireland	OEL (8 hours ref) (mg/m ³)	67,5 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	10 ppm
Ireland	OEL (15 min ref) (mg/m ³)	101,2 mg/m ³
Ireland	OEL (15 min ref) (ppm)	15 ppm
Lithuania	IPRV (mg/m ³)	100 mg/m ³
Lithuania	IPRV (ppm)	15 ppm
Lithuania	TPRV (mg/m ³)	200 mg/m ³
Lithuania	TPRV (ppm)	30 ppm
Luxembourg	OEL TWA (mg/m ³)	67,5 mg/m ³
Luxembourg	OEL TWA (ppm)	10 ppm
Luxembourg	OEL STEL (mg/m ³)	101,2 mg/m ³
Luxembourg	OEL STEL (ppm)	15 ppm
Malta	OEL TWA (mg/m ³)	67,5 mg/m ³
Malta	OEL TWA (ppm)	10 ppm

Upholstery Wet/Foam Cleaner

Safety Data Sheet

According to Regulation (EC) No. 453/2010

Diethylene glycol monobutyl ether (112-34-5)		
Malta	OEL STEL (mg/m ³)	101,2 mg/m ³
Malta	OEL STEL (ppm)	15 ppm
Norway	Gjennomsnittsverdier (AN) (mg/m ³)	68 mg/m ³
Norway	Gjennomsnittsverdier (AN) (ppm)	10 ppm
Norway	Gjennomsnittsverdier (Korttidsverdi) (mg/m ³)	102 mg/m ³
Norway	Gjennomsnittsverdier (Korttidsverdi) (ppm)	20 ppm
Poland	NDS (mg/m ³)	67 mg/m ³
Poland	NDSCh (mg/m ³)	100 mg/m ³
Romania	OEL TWA (mg/m ³)	150 mg/m ³
Romania	OEL STEL (mg/m ³)	250 mg/m ³
Slovakia	NPHV (priemerná) (mg/m ³)	67,5 mg/m ³
Slovakia	NPHV (priemerná) (ppm)	10 ppm
Slovakia	NPHV (Hraničná) (mg/m ³)	101,2 mg/m ³
Slovenia	OEL TWA (mg/m ³)	67,5 mg/m ³
Slovenia	OEL TWA (ppm)	10 ppm
Slovenia	OEL STEL (mg/m ³)	101,25 mg/m ³
Slovenia	OEL STEL (ppm)	15 ppm
Sweden	nivågränsvärde (NVG) (mg/m ³)	100 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	15 ppm
Sweden	kortidsvärde (KTV) (mg/m ³)	200 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	30 ppm
Portugal	OEL TWA (mg/m ³)	67,5 mg/m ³ (indicative limit value)
Portugal	OEL TWA (ppm)	10 ppm (indicative limit value)
Portugal	OEL STEL (mg/m ³)	101,2 mg/m ³ (indicative limit value)
Portugal	OEL STEL (ppm)	15 ppm (indicative limit value)

8.2. Exposure controls

Appropriate engineering controls

: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Personal protective equipment

: Protective goggles. Gloves. Protective clothing.



Materials for protective clothing

: Chemically resistant materials and fabrics.

Hand protection

: Wear chemically resistant protective gloves.

Eye protection

: Chemical safety goggles.

Skin and body protection

: Wear appropriate personal protective equipment.

Respiratory protection

: Use an approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Environmental exposure controls

: Do not allow the product to be released into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

: Liquid

Appearance

: Light amber

Colour

: No data available

Odour

: No data available

Odour threshold

: No data available

Upholstery Wet/Foam Cleaner

Safety Data Sheet

According to Regulation (EC) No. 453/2010

pH	: No data available
Evaporation rate	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Viscosity	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

VOC content : < 1 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous reactions will not occur under normal conditions.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Incompatible materials.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Upholstery Wet/Foam Cleaner	
LD50 oral rat	> 5 g/kg
Sodium lauryl sulfate (151-21-3)	
LD50 oral rat	977 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 3900 mg/m ³ (Exposure time: 1 h)
Diethylene glycol monobutyl ether (112-34-5)	
LD50 oral rat	3384 mg/kg
LD50 dermal rabbit	2700 mg/kg

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified

Upholstery Wet/Foam Cleaner

Safety Data Sheet

According to Regulation (EC) No. 453/2010

Aspiration hazard	: Not classified
Symptoms/Injuries After Inhalation	: May cause respiratory irritation.
Symptoms/Injuries After Skin Contact	: May cause skin irritation.
Symptoms/Injuries After Eye Contact	: May cause eye irritation.
Symptoms/Injuries After Ingestion	: Ingestion is likely to be harmful or have adverse effects.

SECTION 12: Ecological information

12.1. Toxicity

Upholstery Wet/Foam Cleaner	
LC50 fishes 1	1970 mg/l (Exposure Time: 96 hr; Species: Fathead minnow)
Sodium lauryl sulfate (151-21-3)	
LC50 fishes 1	8 (8 - 12,5) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	1,8 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	15 (15 - 18,9) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
Diethylene glycol monobutyl ether (112-34-5)	
LC50 fishes 1	1300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	> 100 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and degradability

Upholstery Wet/Foam Cleaner	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Upholstery Wet/Foam Cleaner	
Bioaccumulative potential	Not established.
Sodium lauryl sulfate (151-21-3)	
BCF fish 1	(will not bioconcentrate)
Log Pow	1,6
Diethylene glycol monobutyl ether (112-34-5)	
BCF fish 1	(no bioconcentration expected)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations : Do not empty into drains; dispose of this material and its container in a safe way.
Waste disposal recommendations : Dispose of waste material in accordance with all local, regional, national, and international regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated for transport				
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Upholstery Wet/Foam Cleaner

Safety Data Sheet

According to Regulation (EC) No. 453/2010

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No

14.6. Special precautions for user

No additional information available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	Diethylene glycol monobutyl ether
3.b. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Diethylene glycol monobutyl ether
55. 2-(2-butoxyethoxy)ethanol (DEGBE)	Diethylene glycol monobutyl ether

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Sodium lauryl sulfate (151-21-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Diethylene glycol monobutyl ether (112-34-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

VOC content : < 1 %

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Revision date : 26/12/2014

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Full text of R-, H- and EUH-phrases:

Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2

Upholstery Wet/Foam Cleaner

Safety Data Sheet

According to Regulation (EC) No. 453/2010

Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H335	May cause respiratory irritation
H412	Harmful to aquatic life with long lasting effects
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R22	Harmful if swallowed
R36	Irritating to eyes
R36/38	Irritating to eyes and skin
R37/38	Irritating to respiratory system and skin
R41	Risk of serious damage to eyes
Xi	Irritant
Xn	Harmful

Harris Research Inc EU GHS SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.